

# **CREATE FS300**

Version 4 / ZA 102000021339 1/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name	CREATE FS300
Product code (UVP)	79492774

**1.2 Relevant identified uses of the substance or mixture and uses advised against** 

Use	Seed treatment, Fungicide	
1.3 Details of the supplier of the safety data sheet		
Supplier	Bayer (Pty) Ltd. 27 Wrench Road, P.O. Box 143 1600 Isando South Africa	
Telephone	+27 (011) 921 5911	
Telefax	+27 (011) 921 5766	
Responsible Department	QHSE - Nigel, South Africa +27 (011) 365 8675 (during business hours only)	

1.4 Emergency telephone no.

Emergency telephone no.	+27 (0861) 555 777 (Western Cape Poisons Helpline)
Global Incident Response Hotline (24h)	+1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

### Hazardous components which must be listed on the label:

• Prothioconazole



Version 4 / ZA 102000021339 2/11 Revision Date: 09.03.2023 Print Date: 09.03.2023



Signal word: Warning

#### Hazard statements

H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-
	methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an
	allergic reaction.

#### **Precautionary statements**

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P391	Collect spillage.
P410	Protect from sunlight.
P501	Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.2 Mixtures

#### **Chemical nature**

Flowable concentrate for seed treatment (FS) Prothioconazole 300 g/L

### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	26,80
Polyarylphenylether sulfate, ammonium salt	119432-41-6	Aquatic Chronic 3, H412	>= 1 - < 25
1,2-Benzisothiazol-3(2H)-	2634-33-5	Acute Tox. 4, H302	>= 0,005 - <



Version 4 / ZA 102000021339 **3/11** Revision Date: 09.03.2023 Print Date: 09.03.2023

one	01-2120761540-60-xxxx	Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	0,05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-on e and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 - < 0.0015
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	>= 1,0

# Further information

1,2-Benzisothiazol-	2634-33-5	M-Factor: 1 (acute)
3(2H)-one		

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.
4.2 Most important sympto	ms and effects, both acute and delayed
Symptoms	No symptoms known or expected.
4.3 Indication of any immed	diate medical attention and special treatment needed
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.



Version 4 / ZA 102000021339 4/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

# **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen chloride (HCI), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.		
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.		
6.3 Methods and materials for containment and cleaning up			
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.		
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.		

### **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling		
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.	
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).	

7.2 Conditions for safe storage, including any incompatibilities



<b>CREATE FS300</b> Version 4 / ZA 102000021339	5/11 Revision Date: 09.03.2023 Print Date: 09.03.2023
Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1,4 mg/m3 (SK-ABS)		OES BCS*
Glycerine	56-81-5	10 mg/m3 (TWA)	03 2021	ZA REL
Glycerine	56-81-5	5 mg/m3 (TWA)	03 2021	ZA REL
(Respirable fraction.)				

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

Respiratory protection	Respiratory protection is no of exposure.	t required under anticipated circumstances
Hand protection	breakthrough time which an Also take into consideration the product is used, such a contact time. Wash gloves when contam inside, when perforated or w	Nitrile rubber
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.	

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 9.1 Information on basic physical and chemical properties



# **CREATE FS300**

Version 4 / ZA 102000021339 6/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

Colour	white to light beige
Odour	weak, characteristic
Odour Threshold	No data available
рН	5,5 - 7,0 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Ignition temperature	435 °C
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1,12 g/cm³ (20 °C)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Prothioconazole: log Pow: 3,82 (20 °C) (pH 7)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

# SECTION 10: STABILITY AND REACTIVITY

10.1 ReactivityStable under normal conditions.10.2 Chemical stabilityStable under recommended storage conditions.



Version	4 / ZA
102000021	1339

7/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

# SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 5.000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) > 2,648 mg/l Exposure time: 4 h Highest attainable concentration. Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (Rat) > 2.000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Prothioconazole: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.



# **CREATE FS300**

Version 4 / ZA 10200021339

8/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

No further toxicological information is available.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity		
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 5,36 mg/l Exposure time: 96 h	
	LC50 (Oncorhynchus mykiss (rainbow trout)) 1,83 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.	
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0,716 mg/l Exposure time: 48 h	
	EC50 (Daphnia magna (Water flea)) 1,3 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.	
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 7,53 mg/l Exposure time: 72 h	
	EC50 (Raphidocelis subcapitata (freshwater green alga)) 2,18 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient.	
	ErC50 (Skeletonema costatum) 0,03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.	
	EC10 (Skeletonema costatum) 0,01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.	
12.2 Persistence and degradability		
Biodegradability	Prothioconazole: Not rapidly biodegradable	
Кос	Prothioconazole: Koc: 1765	
12.3 Bioaccumulative potent	tial	
Bioaccumulation	Prothioconazole: Bioconcentration factor (BCF) 19	



CREATE ES300

CREATE FS300	9/11	
Version 4 / ZA 102000021339	Revision Date: 09.03.2023 Print Date: 09.03.2023	
	1 Int Date: 03.03.2023	
	Does not bioaccumulate.	
12.4 Mobility in soil		
Mobility in soil	Prothioconazole: Slightly mobile in soils	
12.5 Results of PBT and vPvB assessment		
PBT and vPvB assessment	Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
12.6 Endocrine disrupting properties		
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12.7 Other adverse effects		
Additional ecological information	No other effects to be mentioned.	

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Triple rinse containers. Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.

# **SECTION 14: TRANSPORT INFORMATION**

SANS 10231 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION) 9 III YES
IMDG	
14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES
ΙΑΤΑ	
14.1 UN number	3082



Version 4 / ZA 10200021339

**10/11** Revision Date: 09.03.2023 Print Date: 09.03.2023

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

# 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

# **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Further information**

WHO-classification: III (Slightly hazardous)

# **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous



**CREATE FS300** 

Version 4 / ZA 10200021339

11/11 Revision Date: 09.03.2023 Print Date: 09.03.2023

	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.