

1/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MOVENTO SC 240

Product code (UVP) 06424384

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer (Pty) Ltd.

27 Wrench Road, P.O. Box 143

1600 Isando South Africa

Telephone +27 (011) 921 5911 **Telefax** +27 (011) 921 5766

Responsible Department QHSE - Nigel, South Africa

+27 (011) 365 8675 (during business hours only)

1.4 Emergency telephone no.

Emergency telephone no. +27 (0861) 555 777 (Western Cape Poisons Helpline)

Global Incident Response

Hotline (24h)

+1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.



2/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Spirotetramat







Signal word: Warning Hazard statements

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Spirotetramat 240 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

| Name | CAS-No. / | Classification | Conc. [%] |
|------|----------------|--------------------|-----------|
| | EC-No. / | REGULATION (EC) No | |
| | REACH Reg. No. | ` , | |



MOVENTO SC 240

3/11 Version 3/ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

| | | 1272/2008 | |
|---|------------------------------------|--|-------------------------|
| Spirotetramat | 203313-25-1 | | 22,4 |
| Alkylarylpolyglycol ether | 104376-75-2 | Aquatic Chronic 3, H412 | > 1 - < 25 |
| 1,2-Benzisothiazol-3(2H)- one | 2634-33-5 01-2120761540-60-0003 | | > 0,005 - < 0,05 |
| reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-on e and 2-methyl-2H-isothiazol-3- one (3:1) | 55965-84-9 | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | > 0.00015 - < 0.0015 |
| Glycerine | 56-81-5 01-2119471987-18-XXXX | Not classified | > 1 |

Further information

| 1,2-Benzisothiazol- | 2634-33-5 | M-Factor: 10 (acute) |
|---------------------|-----------|----------------------|
| 3(2H)-one | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Rinse mouth. Do NOT induce vomiting. Call a physician or poison Ingestion

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be **Treatment**

> considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is

always advisable. There is no specific antidote.



4/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of

fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment. Do not breathe spray.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable,

closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.



5/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|------------------------|-------------|-----------------------|---------|----------|
| Spirotetramat | 203313-25-1 | 1,4 mg/m3 (SK-SEN) | | OES BCS* |
| Glycerine | 56-81-5 | 10 mg/m3 (TWA) | 03 2021 | ZA REL |
| Glycerine | 56-81-5 | 5 mg/m3 (TWA) | 03 2021 | ZA REL |
| (Respirable fraction.) | | | | |

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection If product is handled while not enclosed, and if contact may occur:

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Break through time > 480 min
Glove thickness > 0,4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly



6/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension

Colourwhite to light beigeOdourweak, characteristicOdour ThresholdNo data available

pH 4,0 - 5,0 (100 %) (23 °C)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point > 100 °C

No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature ca. 415 °C

Thermal decomposition No data available

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 1,07 g/cm³ (20 °C)

Water solubility miscible

Partition coefficient:

n-octanol/water

Spirotetramat: log Pow: 2,5(pH 7)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableSurface tension44 mN/m (25 °C)

Determined in the undiluted form.

Oxidizing properties No oxidizing properties



MOVENTO SC 240

7/11 Version 3/ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2.000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 3,013 mg/l

Exposure time: 4 h

Irritating to respiratory system.

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kgSkin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin Skin: Sensitising (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Spirotetramat: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity - repeated exposure

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.



8/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

Assessment carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.

Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 7,75 mg/l

Exposure time: 96 h

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 144 mg/l

invertebrates Exposure time: 48 h

EC50 (Chironomus riparius (non-biting midge)) 0,46 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient.

NOEC (Chironomus riparius (non-biting midge)) 0,1 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 13,4 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Spirotetramat:

Not rapidly biodegradable

Koc Spirotetramat: Koc: 289

12.3 Bioaccumulative potential



9/11

MOVENTO SC 240

Version 3/ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

Bioaccumulation Spirotetramat:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Spirotetramat: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Spirotetramat: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

> consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous

waste.

SECTION 14: TRANSPORT INFORMATION

SANS 10231

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9 14.4 Packaging Group Ш

14.5 Environm. Hazardous Mark YES

IMDG

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9 14.4 Packaging Group Ш YES

14.5 Marine pollutant

14.1 UN number 3082



10/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

| H301 | Toxic if swallowed. |
|------|---|
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %



11/11

MOVENTO SC 240

Version 3 / ZA Revision Date: 26.04.2023

102000011328 Print Date: 26.04.2023

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 2: Hazards

Identification.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.